



htm

BLUE-WIND HAIR & BODY

htm



HanKook Towel Machine Co.,. Ltd

10, Guuigangbyeon-ro 5-gil, Gwangjin-gu, Seoul, Korea

TEL. +82. 2. 455. 3701 FAX. +82. 2. 456. 8253

www.htm.co.kr

※ The contents of this catalog are subject to change without notice for product improvement

New Cultural Revolution in Life
All New htm Dryer
From relaxation to comfortable smile



The Excellent Company
Brand of Seoul

MY LIFE

Hankook Towel Machine

Clean and comfortable cultural life creation

Body Dryer

Bathroom Dryer

Sink Dryer

Hand Dryer

1989. 7	Establishment of Hankook Towel Machine Ind Co., Ltd	2005. 2	Development and marketing of Automatic Faucet
8	Development and production of Hand Dryer	11	Obtaining Eco-friendly Products Certificate for Paper Towel and Jumbo Roll
8	Establishment of electrical goods production factory		
10	Performance evaluation test approval of Electrical Urinal Sensor (No.63-2)	2006. 5	Development and marketing of Anion/Infrared rays emitting Hand Dryer
11	Performance evaluation test approval of High Electrical Liquid Soap (No.TK3817)	7	Design Registration (No.0029879)
		7	Patent Registration of High-speed Hand Dryer-windup (No.10-0597107)
1992.11	Building Industry Fair at Korea KOEX Center		
1994. 3	Kyung Hyang Housing Fair at Korea KOEX Center	2007. 3	Development and marketing of Bubble soap Dispenser
4	Development of wall-mounted body dryer. Utility Model, Design and Patent Registration	3	Development and marketing of Stainless Anion/Infrared rays emitting Hand Dryer
12	Development and marketing of High Enriched Liquid Soap		Development and marketing of Paper Towel Dispenser
1995. 3	Development and marketing of Paper Towel Machine	2008.10	Development and marketing of Music Hand Dryer
1997. 6	Utility Model, Design and Patent Registration		Utility Model, Design and Patent Registration
10	Starting export of Hand Dryer to China	2010. 1	Development and marketing of Music Paper Towel Dispenser
1998. 2	Development of household appliances (Tissue Case, Tissue)	2011. 5	Development and marketing of Stand-type High-speed Hand Dryer
5	Starting supply of household appliances to mart	5	Utility Model, Design Registration
6	Trademark Registration of HTM	7	certified KC
6	Starting export of Hand Dryer and High Enriched Liquid Soap to Japan	7	certified CE
		8	Conclusion Agreement of Exclusive Distributor in Turkey
1999. 9	Development and marketing of Integral Toilet Bowl Sensor Urinal Sensor	2012. 6	Development of 7 kinds of High-speed and Power saving Hand Dryer
		6	Certified CE for High-speed Hand Dryer (HTM 350, 351)
2000. 3	Development and marketing of Refill Container of Liquid Soap	11	Marketing of High-speed Hand Dryer (HTM 350, 351)
		11	Certified CE for High-speed Hand Dryer (HTM 352, 354ST, 355ST, 357, 358)
2001. 2	Development and marketing of Air Freshener	2013. 5	2013 Kitchen & Bath China Fair at Shanghai New International Expo Center
3	Development and marketing of Napkin Case	2014. 5	2014 Kitchen & Bath China Fair at Shanghai New International Expo Center
3	Development and marketing of Stainless Hand Dryer		
2002. 1	Development and marketing of Flush type Urinal Sensor	2015. 4	17th Canton fair in china at Guangzhou
2	Opening of Shanghai Permanent Exhibition Center	2016.	Dubai Big 5 Expo Participation
2003. 9	Development and marketing of High-speed Hand Dryer-windup		Netherlands Amsterdam ISSA Expo Participation
			Hanoi expo Participation
2004.11	Development and marketing of Automatic Hand Sterilizer	2017.	Germany ISH Expo Participation
12	Development and marketing of Small-sized Paper Towel Dispenser		New products Hair&Body, Sink Dryer development and marketing
			Hong Kong Global sources Expo Participation
		2018.	Korea build Expo Participation

Bathroom Partner In My Life...

New Trend of the bathroom

All New Body Dryer

From insight to delicacy

Full automatic (hot & cold air) body dryer



BLUE-WIND HAIR & BODY

Plasma function eliminates odor, air purification, blocking harmful substances
With a compulsive wind, you can dry your hair and dry your body at the same time.
Powerful removal of moisture in the bathroom

HTM-2011



HTM-2013



Item	HTM 2011 (High grade)	HTM 2013 (Standard)
Working Voltage	220V 50/60Hz	220V 50/60Hz
Material	Flame Retardant ABS	Flame Retardant ABS
Size	190(W) 280(H) 190(D)	190(W) 280(H) 190(D)
Maximum power consumption	Hot air(1,000w), Cold air(70w)	Hot air(1,000w), Cold air(70w)
Sensor type	Wired touch sensor type / Remote control	Remote control
Weight	2.3Kg	2.3Kg
Safety device	Double safety device (power failure in case of thermal fuse, motor trouble)	
RPM	4,350rpm	4,350rpm
Motor	BLDC	BLDC
Wind speed	30m/s	30m/s
Noise	30 db or less	30 db or less
Drying time	13 seconds (variable)	13 seconds (variable)
Exterior finish	Grey High gloss UV color coating	White High gloss UV color coating
Plasma	O	X

※ Patent and design registration for wind speed control function (3-stage), dust purifying filter, hot and cool air function, timer function

Remove bathroom odor!
Air purification function!
Block harmful substances!
Hair & body dry!
Strong moisture removal!





Body dryer of HTM is advanced in accumulated technology and old know-how



Abundant air volume

It dries quickly with abundant air volume from large capacity fan



Moisture resistant internal structure

Due to the nature of the bathroom, we have applied moisture-resistant electronic circuits



Remote control function

Works easily with remote control function



High-gloss pearl coating

High-gloss pearl coating is applied considering the appearance of luxurious atmosphere without product discoloration



Three-stage airflow control function

It is possible to adjust the wind volume step by step



Dust filter

Large-capacity air filter was applied considering hygienic part
(Clean the filter and remove the air filter when the lamp is on)



Moisture removal function

Removes moisture from the bathroom during the shower



Hot and cool air function

After the shower, the warm wind quickly dries the wet body and hair



Timer function


The timer sets desired drying time



Powerful plasma function

Excellent plasma for deodorization, air purification and eradication of bacteria was installed inside the machine

HTM 2011 HTM 2013



Maintenance cost

- Hot air: 1kw x 85 won/kwh / 3,600 seconds x 60 seconds [One-time use] = 1.41 won
- Cool air: 70w x 85 won/kwh / 3,600 seconds x 60 seconds [One-time use] = 0.099 won



Full automatic (hot & cold air) Sink Dryer



Plasma function eliminates odor, air purification, blocking harmful substances!
A clean, healthy wind keeps our family healthy

HTM-7103



Item	HTM 7103
Working Voltage	220V 50/60Hz
Material	Flame Retardant ABS
Size	233(W) X 240(H) X 180(D)
Maximum power consumption	Hot air(1,000w), Cold air(70w)
Sensor type	Wired tact switch
Weight	2.6Kg
Safety device	Double safety device (power failure in case of thermal fuse, motor trouble)
RPM	4,350rpm
Motor	BLDC
Wind speed	30m/s
Noise	30db
Drying time	1~20minutes
Plasma	0

* Patent and design registration for wind speed control function (3-stage), dust purifying filter, hot and cool air function, timer function


Remove kitchen odor!
Air purification function!
Block harmful substances!
Powerful hand drying!





Sink Dryer of HTM is advanced in accumulated technology and old know-how

- | | | |
|---|---|--|
|  <p>Abundant air volume
It dries wet hands and tools quickly with abundant air volume from large capacity fan</p> |  <p>Hot and cool air function
After using the water in the kitchen, the warm winds dry the wet hands</p> |  <p>Timer function
The timer sets desired drying time (Various dishes under the sink can be dried)</p> |
|  <p>Moisture resistant internal structure
Due to the characteristics of the kitchen, we have applied moisture-resistant electronic circuits</p> |  <p>Dust filter
Large-capacity air filter was applied considering hygienic part (Clean the filter)</p> |  <p>Automatic Sensor Type
It's convenient for use with a sensor types</p> |
|  <p>Powerful plasma function
It is possible to use the air which has deodorized the various food odors of the kitchen to purify the air and the plasma is installed inside the machine to eradicate harmful bacteria to the human body. Domestic and foreign antiviral test completed</p> |  <p>High-gloss pearl coating
High-gloss pearl coating is applied considering the appearance of luxurious atmosphere without product discoloration</p> | |



Maintenance cost

- Hot air: 1kw x 85 won/kwh / 3,600 seconds x 13 seconds (One-time use) = 0.3 won
- Cool air: 70w x 85 won/kwh / 3,600 seconds x 13 seconds (One-time use) = 0.21 won



Remove bathroom odor!
Air purification function!
Block harmful substances!
Strong moisture removal!

Full automatic (hot & cold air) Bathroom Dryer



BLUE-WIND BATHROOM

Plasma function eliminates odor, air purification, blocking harmful substances!

Clean and pleasant winds created by new technology from htm blows.

HTM-7107



Item	HTM 7107
Working Voltage	220V 50/60Hz
Material	Flame Retardant ABS
Size	233(W) X 305(H) X 138(D)
Maximum power consumption	Hot air(1,000w), Cold air(45w)
Sensor type	Wired touch sensor type/ infrared sensor system combined
Weight	2.6Kg
Safety device	Double safety device (power failure in case of thermal fuse, motor trouble)
RPM	4,350rpm
Motor	BLDC
Wind speed	21 m/s (controllable)
Noise	30db
Drying time	15 ~20 seconds
Exterior finish	High gloss UV color coating
Plasma	Patent registration



Bathroom Partner In My Life...

New Trend of the bathroom

All New Bathroom Dryer

From insight to delicacy



Electronic
Certification



Design
Registration



The Exellent Company
Brand of Seoul

Bathroom dryer of HTM is advanced in accumulated technology and old know-how



Abundant air volume

It dries quickly with abundant air volume from large capacity fan



Three-stage airflow control function

It is possible to adjust the wind volume step by step



Hot and cool air function

After the shower, the warm wind quickly dries the wet body and hair



Moisture resistant internal structure

Due to the nature of the bathroom, we have applied moisture-resistant electronic circuits



Dust filter

Large-capacity air filter was applied considering hygienic part (Clean the filter)



Timer function

The timer sets desired drying time



Remote control function

Works easily with remote control function



Moisture removal function

Removes moisture from the bathroom during the shower



Powerful plasma function


Excellent plasma for deodorization, air purification and eradication of bacteria was installed inside the machine



High-gloss pearl coating

High-gloss pearl coating is applied considering the appearance of luxurious atmosphere without product discoloration

HTM 7107



Maintenance cost

- Hot air: 1kw x 85 won/kwh / 3,600 seconds x 13 seconds (One-time use) = 0.3 won
- Cool air: 70w x 85 won/kwh / 3,600 seconds x 13 seconds (One-time use) = 0.21 won

Kitchen Partner In My Life...




Air purification function!
Block harmful substances!
Powerful hand drying!

Full automatic (hot & cold air) Hand Dryer


AUTOMATIC HAND DRYER

Clean and pleasant winds created by new technology from htm blows
Semi-permanent motor and sirocco fan application Maximize air volume
Quiet noise, strong hand drying, variety of places to use



Item	HTM 360HS
Working Voltage	220~240v 50/60hz
Material	Flame Retardant ABS
Size	220(W) X 340(H) X 270(D)
Maximum power consumption	Hot air(1,200w), Cold air(130w)
Sensor type	Infrared sensor type
Weight	4.3Kg
Safety device	Current, thermal fuse, time function
RPM	4,600 rpm
Motor	Brushless motor
Wind speed	32 m/s
Noise	67.3 db
Drying time	9 seconds
Exterior finish	High gloss UV color coating
Plasma	CE, KC design registration, acquired utility model

HTM 360HS



※ Wind speed control function, hot and cold air function

Maintenance cost

- Hot air: 1.2kw x 85 won/kwh / 3,600 seconds x 9 seconds (One-time use) = 0.25 won
- Cool air: 130w x 85 won/kwh / 3,600 seconds x 9 seconds (One-time use) = 0.03 won





Air purification function!
Block harmful substances!
Powerful hand drying!

Full automatic (hot & cold air) Hand Dryer

AUTOMATIC HAND DRYER

Begin of healthy and convenient life, Clean and pleasant sensibility technology
Semi-permanent motor and sirocco fan application Maximize air volume
Quiet noise, strong hand drying, variety of places to use



Chrome coated gutter cover



Hot and cool air function



Cheap Electricity Costs



Certified Technology




Variety of places to use



Environmentally friendly

Item	HTM 365HS
Working Voltage	220~240v 50/60hz
Material	Flame Retardant ABS
Size	220(W) X 340(H) X 270(D)
Maximum power consumption	Hot air(1,200w), Cold air(130w)
Sensor type	Infrared sensor type
Weight	4.3Kg
Safety device	Current, thermal fuse, time function
RPM	4,600 rpm
Motor	Brushless motor
Wind speed	32 m/s
Noise	67.3 db
Drying time	9 seconds
Exterior finish	High gloss UV color coating
Plasma	CE, KC design registration, acquired utility model

HTM 365HS



※ Wind speed control function, hot and cold air function

Maintenance cost

- Hot air: 1.2kw x 85 won/kwh / 3,600 seconds x 9 seconds (One-time use) = 0.25 won
- Cool air: 130w x 85 won/kwh / 3,600 seconds x 9 seconds (One-time use) = 0.03 won

